



TOWN RESERVES THE RIGHT TO DEVELOP THE RIGHT-OF-WAY AT ANY TIME



Required: Please specify if curb and gutter is disturbed or undisturbed in construction drawings.

CIRCULAR DETAIL

BUILDING DEPARTMENT PERMIT (FOR PRIVATE PROPERTY)



4'-00" F CURB TO VALLEY GUTTER TRANSITION

SINGLE DETAIL



NORTH

REVISIONS		
NO.	DESCRIPTION	DATE

**PRELIMINARY PLAN
NOT FOR CONSTRUCTION**
THESE PLANS ARE NOT FULLY PERMITTED AND ARE SUBJECT TO REVISIONS MADE DURING THE PERMITTING PROCESS.
RESPONSIBILITY FOR THE USE OF THESE PLANS PRIOR TO OBTAINING PERMITS FROM ALL AGENCIES HAVING JURISDICTION OVER THE PROJECT WILL FALL SOLELY UPON THE USER.

ISSUE DATE: 05/10/2022
DESIGNED BY: HG
DRAWN BY: HG
CHECKED BY:
BID-CONTRACT:



PROJECT




SHEET TITLE

**DRIVEWAY
DETAIL**






SHEET NUMBER **1**
PROJECT NUMBER TBD

STATUS: PRELIMINARY


Follow Curb Detail






For details depicting usage adjacent to flexible pavement, see diagram right.



Note: To be paid for as parent curb.



Note: For use adjacent to concrete or flexible pavement, concrete shown. Expansion joint, preformed joint filler and joint seal are required between curbs and concrete pavement only, see Sheet 2.



CONCRETE CURB

CONCRETE CURB AND GUTTER

* When used on high side of roadways, the cross slope of the gutter shall match the cross slope of the adjacent pavement. The thickness of the lip shall be 6", unless otherwise shown on plans.

Rotate entire section so that gutter cross slope matches slope of adjacent circulating roadway pavement.

For use adjacent to concrete or flexible pavement. For details depicting usage adjacent to flexible pavement, see Sheet 2. Expansion joint, preformed joint filler and joint seal are required between curb & gutter and concrete pavement only, see Sheet 2.

C:\p\projects\standards\roadway\00300-5-00300-01.dwg
r0989/h
9/27/11 AM
6/29/2012

LAST REVISION 00	DESCRIPTION:	 FDOT DESIGN STANDARDS 2013	CURB & CURB AND GUTTER	INDEX NO. 300	SHEET NO. 1